

ATEN Facilitates Meeting Presentations with Quick-Button Switching




Police Office, Malaysia

At a police department in Malaysia, officers gather for regular meetings to discuss local security, intelligence, and government guidelines to solve problems and formulate strategies. Typical meetings involve presentations by a series of people, requiring up to 18 separate connections to display content on a main screen, two televisions and to each individual display. To reduce the interference caused by current plug-n-play setup that requires unplugging/plugging a new source for each presentation, the police department needs a solution to facilitate the meeting process with more efficient presentations.

Challenges

- Deliver video content from each source to multiple displays.
- Transmit video content to many displays over a long distance.
- Process the signal conversion of different source to display (VGA to HDMI) devices.
- Provide **<u>quick video switching</u>** between multiple sources for displays during presentations.

Solution




VE170R x 21 A/V Over Cat 5 Receiver Rear View Front View Video Compensation Tuner Audio Output Port I INF IN pc≊:∍∕ ΀-+ Grounding Terminal \bigcirc • • Power Jack AUDIO VIDEO OUT Video Gain Tuner Video Output Port Line In Port VS0801A x 4 ATEN YORO SWITCH 8-Port VGA Switch with Auto Switching Rear View Video/Audio Input Port **RS-232 Serial Port Grounding Terminal**)° ö ာစ ဝံ စ le ö Power Jack 0 0 Video/Audio Output Port VC180 x 18 VGA to HDMI Converter with Audio Front View Rear View VGA Input Port Power Jack HDMI Output Port Audio Input Port

2L-5205B x 21 Port Switching VGA Cable



Solution Architecture



Features & Benefits

- VS1208T is an 8-port A/V Over Cat 5 splitter that makes it easy to distribute video content in real time from <u>one source</u> to <u>multiple displays</u>.
- Combining the VS1208T with the VE170R extends the transmission distance between source device and output display up to <u>300 meters</u>.
- The VC180 is a VGA to HDMI Converter that can process any VGA source to an HDMI monitor.
- By connecting the 2L-5205B port switching cable to the VS0801A, the remote port selector on the cable can be placed at any location in preference to <u>quickly switch</u> displays for more <u>efficient</u> <u>meeting presentation</u>.



ATEN International Co., Ltd

3F, No.125, Sec. 2, Datung Rd., Sijhih District, New Taipei City, Taiwan 221 Tel: 886.2.8692.6789 Fax: 886.2.8692.6577 E-mail: marketing@aten.com

www.aten.com