

UC1284B

USB to IEEE1284 Printer Adapter (1.8m)



UC1284B is a USB to parallel port converter. It converts the USB on PCs, notebook PCs and handheld computing devices into a parallel port for printer connection.

Features

- Fully bidirectional to ensure compatibility with today's latest printer.
- 1 USB Type-A connector for standard USB cable connection
- 1 C-36 parallel connector
- Fully compliant with USB
- Non-powered.
- Max. Throughput: 1.2 Mbits/ Sec (ECP Mode)
- OS Support: Windows 2000, Windows XP, Windows Vista and Windows 7

Specifications

| | |
|------------------------|---|
| Connectors | |
| USB Port | 1 x USB Type A Male (White) |
| Printer | 1 x C-36 Male |
| Data Rate | 1.2 Mbits/Sec |
| Cable Length | 1.8m |
| LEDs | N/A |
| Power Mode | Bus Powered |
| USB Specification | USB compliant |
| Environmental | |
| Operating Temperature | 0-40°C |
| Storage Temperature | -20–60°C |
| Humidity | 0–80% RH, Non-condensing |
| Physical Properties | |
| Housing | Plastic |
| Weight | 0.11 kg (0.24 lb) |
| Dimensions (L x W x H) | 5.30 x 4.30 x 1.95 cm (2.09 x 1.69 x 0.77 in.) |
| Note | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |

Diagram**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.