

KA7177

USB VGA Virtual Media KVM Adapter with Smart Card Support - TAA Compliant



The KA7177 KVM Adapter Cable connects the KVM switch to the video and USB ports of the target computer. The KA7177 also provides a USB plug to connect the target computer for Smart Card/CAC support. With its small form factor and light weight design, it represents the next generation of KVM Adapter Cables – offering superior signal compensation and delay skew techniques for greatly enhanced video quality.

Features


- Auto Signal Compensation (ASC), no DIP switch setting needed for the different distances
- Keyboard and mouse emulation – keeps your server functioning smoothly when it is disconnected from the switch's KVM port or relocated to different KVM port
- Lifetime firmware upgrades
- Superior video quality - supports resolution up to 1920 x 1200 (Reduced blanking)*
- Built in ASIC for greater reliability and compatibility
- Compact size
- Virtual Media Support
- Smart Card / CAC Reader Support

* This maximum resolution may vary depending on the transmission distance. For more details, please refer to the product pages of the connected KVM switches.

Specification

| | |
|------------------------|---|
| Connectors | |
| Link | 1 x RJ-45 Female |
| Computer | 2 x USB Type A Male 1 x HDB-15 Male |
| LEDs | |
| Online | 1 (Green) |
| Power | 1 (Orange) |
| Environmental | |
| Operating Temperature | 0–50°C |
| Storage Temperature | -20–60°C |
| Physical Properties | |
| Housing | Plastic |
| Weight | 0.16 kg (0.35 lb) |
| Dimensions (L x W x H) | 9.00 x 4.30 x 2.18 cm (3.54 x 1.69 x 0.86 in.) |
| Note | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |

Diagram



ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
 ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
 All rights reserved. All other trademarks are the property of their
 respective owners.