

2L-7D20H

20 m High Speed HDMI Cable with Ethernet



ATEN High Speed HDMI Cable with Ethernet provides an uncompressed, all-digital interface for both audio and video signals. Our cables infuse high-quality copper wire to resist interference for improved image clarity. We offer HDMI cable at lengths of 5 to 20 meters with resolutions up to 4K (4096 x 2160 @30Hz).



Features

- Superior video quality:
 - up to 4K (4096 x 2160 @30Hz)
- HDMI Ethernet Channel functionality: additional dedicated data channel supports networking*
- HDMI (3D, Deep Color, 4K); HDCP 1.4 compliant
- Gold-plated connectors for reliable transmissions
- Available in lengths from 5 to 20 m
- RoHS compliant
- Bend Radius 90°**

Note:

* Feature only available if linked devices are HDMI Ethernet Channel enabled

** Swings 100 times between angles of +/- 90 degrees, at a frequency of 13 times per minute

Specifications

| | |
|-----------------------|---------------------------|
| Max. Video Resolution | 4096x2160@30Hz |
| Physical Properties | |
| Cable Length | 20M |
| Cable Color | Black |
| Cable Outer Dimension | 10.0 ± 0.20mm |
| Conductor Gauge | 26AWG |
| Conductor Material | Tinned Copper |
| Connector Plating | Gold |
| Connector Type | HDMI (19pin) Male to Male |
| Cable Shield Type | Aluminum Foil |
| Cable Jacket Type | PVC |
| Environmental | |
| Operating Temperature | 80°C |
| Rating | UL VW-1 (Flame rate), CSA |

Diagram



Bend Radius 90°

ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.