


## UH3238

USB-C Travel Dock with Power Pass-Through



# Your Best On-the-Go Companion

Ultra-portable USB-C dock for Android tablets, iPad Pro, smartphones, Windows laptops, and MacBooks



◀ UH3238

## 5-in-1 USB-C Travel Dock with Power Pass-Through

### 5-in-1 Ultra-Portable Travel Dock

The ATEN UH3238 USB-C Travel Dock provides an uncompromising mobile experience, giving all your USB-C mobile devices portable access to multiple media devices. With its pocket size, you can travel lighter with this ultra-portable dock and make the most of your mobile devices.



3.5mm  
Audio Jack

USB3.0  
with 1.5A Charging

USB3.0

4K60  
HDMI

PD  
Up to 92W  
Data Transfer

**Universal Design. Made for USB-C Mobile Devices**

The Travel Dock is specifically designed for any USB-C device, such as an Android tablet, iPad Pro, smartphone, Windows laptop, and MacBook with universal compatibility.



Smartphone



Windows Laptop



MacBook



iPad Series (USB-C)



**Stunning 4K@60Hz HDMI Display**

Extends your viewing workspace with a single monitor for crystal-clear resolution, up to 4K@60Hz, for on-the-go presentations, conference calls, and video streaming.

**Restores 3.5mm Audio Jack**

The 3.5mm audio jack restores wired headphones connectivity to your mobile devices. You can once again enjoy high-quality audio with your wired headphones.






UP to 92W  
Power Delivery

**Type-C 92W PD and 5Gbps Data Transfer**

The USB-C port supports 92W power delivery providing full-speed pass-through charging for your Windows laptop, MacBook, Android tablet, iPad Pro, or smartphone, while also supporting standard 5Gbps data transfer.

**One Travel Dock for Massive Expansion**



**PD 3.0**



**USB 3.2  
Gen 1**



**Power  
Pass-Thru**



## Features


Designed and made to be a portable and versatile connectivity solution, the UH3238 USB-C Travel Dock with Power Pass-Through contains 5 essential ports – one audio port, two USB Type-A ports, one HDMI port, and one USB-C DC in port – to provide connectivity and power supply for users that travel and require mobile office scenarios. The Thunderbolt™ 3 and USB 3.2 Gen 1-compatible interface guarantees superior data transmission speed up to 5 Gbps. With the support for up to 4K HDMI (3840 x 2160 @ 60Hz), the device allows users to multitask at stunningly realistic UHD resolution. The UH3238 boasts a plug-and-play design and is compatible with all major operating systems (Windows®, macOS X, iPadOS, and Android). Weighing at just 44g, it is a compact, yet competent, and ideal data and power transmission solution for every mobile workstation ecosystem.

- 5-in-1 travel dock that includes one audio port, two USB Type-A ports, one HDMI port, and one USB-C DC in port
- Supports USB PD 3.0 for charging up to 92W via USB-C PD power adapter – power profiles include 5V, 9V, 15V, 20V
- Supports DP 1.4 Alt mode with up to 4K (3840 x 2160) @ 60Hz for superior video output
- HDMI (3D, Deep Color, 4K); HDCP 2.2 compliant
- Plug and Play – no drivers needed
- Works with all major operating systems: Windows®, macOS X, iPad Pro (USB-C), and Android
- Compatible with Thunderbolt™3 (USB-C)
- Compact, lightweight design for mobile workstation
- Apple M1 chip compatible

Specification

Computer Connections	1
Connectors	
Computer	USB 3.2 Gen 1 Type-C
Device	<p>1 x USB 3.2 Gen 1 Type-A female supports BC 1.2 (Max. output 5V, 7.5W)*            1 x USB 3.2 Gen 1 Type-A female (Max. output 5V, 4.5W)*            1 x USB 3.2 Gen 1 Type-C female (Max. output 5V, 12.5W)*</p> <p>*a. 2 x USB-A ports share total 5V, 9W when UH3238 powered by external USB-C PD power adapter            *b. 2 x USB-A and 1 x USB-C ports share total 5V, 7.5W when UH3238 powered by iPad via USB-C .            *c. 2 x USB-A and 1 x USB-C ports share total 5V, 12.5W when UH3238 powered by PC via USB-C. (@5V,3A bus-powered)</p>
Video Output	1 x HDMI Female (Black)
Audio	1 x 3.5mm stereo 4-pole microphone and headphone jack
Power	<p>1 x USB Type-C Female (supports USB 3.2 Gen 1 Data transfer)*</p> <p>*Support Power Delivery 3.0 for laptop charging up to 92W, power profiles include 5V, 9V, 15V, 20V (additional USB-C PD power adapter needed)</p>
Video Resolution	<p>3840 x 2160@60Hz*</p> <p>* To get max bandwidth, upstream should support standard DP1.4 Alt mode with DSC3:1 and HBR3. When connecting a DP1.2 Alt mode supported upstream, the max resolution of HDMI is 4k@30Hz due to bandwidth limitation</p>
Power Consumption	<p>DC5V:8WBTU/h</p> <p>Note:</p> <ul style="list-style-type: none"> <li>● The measurement in Watts indicates the typical power consumption of the device with no external loading.</li> <li>● The measurement in BTU/h indicates the power consumption of the device when it is fully loaded.</li> </ul>
System Requirements	<p>Windows 10 or above, USB-C enabled computer with DP Alt Mode*            * With Intel 7th-Generation Core Processor (Kaby-Lake) and above. More info about CPU generation, please find:  <a href="https://www.intel.com/content/www/us/en/processors/processor-numbers.html">https://www.intel.com/content/www/us/en/processors/processor-numbers.html</a></p> <p>macOS 10.12 or later, USB-C enabled computer</p> <p>iPadOS 13.1 or later, iPad (USB-C)</p> <p>iOS 17.0 or later, iPhone (USB-C)</p> <p>Android 8.0 or later, USB-C enabled Smartphone with DP Alt Mode</p>
Environmental	
Operating Temperature	0–40°C
Storage Temperature	-20–60°C
Humidity	0–80% RH, Non-condensing
Physical Properties	
Housing	Aluminum
Weight	0.04 kg ( 0.1 lb )
Dimensions (L x W x H)	9.00 x 3.20 x 0.82 cm (3.54 x 1.26 x 0.32 in.)
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram



Support



- ✓ 5V
- ✓ 9V
- ✓ 15V
- ✓ 20V

Check USB-C charge rate of your laptop\*  
The total charging time may vary depending on the devices connected to the UH3238.

\*USB-C PD power adapter is not included in the package.

**ATEN International Co., Ltd.**

3F, No. 125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their respective owners.