

US4324

2 x 4 USB 3.2 Gen 1 Sharing Switch



essentials

2 X 4 USB 3.2 Gen 1 Sharing Switch



US4324

SuperSpeed

5 Gbps

Data Transfer

Computer



USB-A x2

Peripheral



USB-A x3

USB-C x1



Bus-Powered Design

USB-C Input for Optional Power Boost

Multiplatform Support

Windows | macOS | Linux



Accent Light

One-Button Switch



Pushbutton



Remote Port Selector



Switch Smart Among Four Peripherals. Clutter-Free Control.



essentials 2 X 4 USB 3.2 Gen 1 Sharing Switch **US4324**

All references to and depictions of connectable products, including those produced by Apple, or E-ink, are for illustrative demonstration purposes only, not intended to suggest any endorsement or sponsorship by or affiliation with those product manufacturers.

The US4324 is a 2-Port USB 3.2 Gen 1 Sharing Switch designed to accommodate the use of USB-A and USB-B devices required for various workloads. Powered by USB-C, it provides a simple and efficient way to connect multiple devices to a single USB-C port, eliminating the need for multiple USB-A or USB-B ports. The device is compact and portable, making it ideal for use in a variety of settings.



Sleek.

Compact.

Portable.





Share All Devices with One-Button Switch

Flexible Bus-Powered Design

The switch automatically powers on when connected to a computer. For setups involving power-intensive peripherals, an auxiliary USB-C port is available to connect a power adapter, guaranteeing stable performance and reliability.



Save Time with 5 Gbps
SuperSpeed Data Transfer







What's in the Box



Talk to Our Experts

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly

First Name *

Last Name *

- Country *

Company *

Email *

Phone Number *

- Customer Type *

Job Title *





Accent Light



Compact Design



USB 3.2 Gen 1



One Button Switch



Remote Port Selector

Features

- InstaSync™ Technology
 - Fast USB switching capability that keeps the flow smooth and uninterrupted

- Four USB Device Sharing Across Two Computers
 - Farewell to the need of swapping cables and peripherals between two separate computers

- 5 Gbps Data Transfer with USB 3.2 Gen 1
 - Up to 5 Gbps SuperSpeed data transfer rates, which is about 10 times faster than the USB 2.0 standard, allow users to transfer large files quickly and efficiently

- Quick Switch via Built-In Pushbutton and Remote Port Selector
 - Enjoy the hassle-free experience of switching USB peripherals between two systems with just one single press to the button on US4324 or the remote port selector (package included)

- Compact Enclosure with Accent Lighting
 - Aesthetically pleasing with its accent lighting and a casing so compact that it occupies very little space



- Hot Pluggable
 - Allows adding / removal of the peripherals/computers connected to the installation without having to power down the switch. Besides, no drivers or software is required

- OS Independent
 - Compatible with mainstream operating systems including Windows, macOS, and Linux

Specification

Computer Connections	2
Port Selection	Pushbutton / Remote Port Selector
Connectors	
Computer	2 x USB Type-A Female (Blue)
Device	3 x USB Type-A Female (Blue) 1 x USB Type-C Female (Black)
Power (Optional)	1 x USB Type-C Female (Black)
Remote Port Selector	1 x USB Type-C Female (Black)
Cable Length	
USB Cable	2 x USB 3.2 Gen 1 Type-A to Type-A Cable (1.5 m)
LEDs	
Selected	2 (Orange)
Power	2 (Orange, Bottom Side)
Environmental	
Operating Temperature	0 – 40 °C
Storage Temperature	-20 – 60 °C
Humidity	10 – 80 % RH, Non-condensing
Physical Properties	
Housing	Plastic
Weight	0.07 kg (0.17 lb)
Dimensions (L x W x H)	14.50 x 5.65 x 1.52 cm (5.71 x 2.22 x 0.6 in.)
Carton Lot	20 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram





Simply Better Connections

ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.