

## KL1100

Dual Rail LCD PS/2-USB Console



The KL1100 is a LCD KVM console featuring an integrated 17" or 19" LCD panel, a full keyboard, and a touch pad in a 1U rack-mountable sliding housing with AC or DC based input power sources. For added convenience, ports for an external PS/2 or USB keyboard and mouse as well as a monitor are provided on the rear panel - permitting you to manage the switch from a local console.

**KL1100M: 17" LCD**

**KL1100N: 19" LCD**




## Features

- Integrated KVM console with 17" or 19" LCD monitor in a Dual Rail housing with top and bottom clearance for smooth operation in a 1U high system rack
- Select either AC or DC power input models
- Dual Interface - Supports computers and KVM switches with PS/2 or USB connectors
- Supports an external console with either PS/2 or USB connectors
- Additional hot-pluggable USB mouse port on front panel
- Superior video quality - supports resolutions of up to 1280 x 1024 @75Hz, DDC2B (17" and 19" LCD)
- 105-key keyboard; Sun keyboard emulation
- Dual rail design allows LCD monitor and keyboard/touch pad modules to operate independently
- LCD module rotates up to 120 degrees for a more comfortable viewing angle
- Console lock - enables the console drawer to remain securely locked away in position when not in use
- Compatible with all ATEN KVM switches and most KVM switches in the market
- Adjustable depth to fit within the rack
- DDC emulation - video settings of each computer are automatically adjusted for optimal output to the monitor
- Supports Microsoft Intellimouse (5 keys)
- Supports Logitech and Microsoft wireless mice
- Standard rack mount kit included - optional Easy Rack Mounting (single person installation) rack mount kit available (requires separate purchase)
- Firmware upgradeable
- Keyboard Language support: English(US); English(UK); German; German(Swiss); French; Spanish; Traditional Chinese; Japanese; Korean; Swedish; Italian; Russian; Hungarian; Greek
- Super A-Grade TFT LCD Panel; [Zero Dead Pixel Guarantee](#)
- Multiplatform support: Windows 2000/XP/[Vista](#), Linux, Unix, Novell, Sun, FreeBSD
- For more information about KVMs which can connect to KL1100, see [Compatible KVM Table](#)

| Rack Mount Kit                           | Depth (cm) |
|--|------------|
| <a href="#">2X-010G</a> (Long/Optional)  | 68 - 105   |
| Short (Standard)                         | 42 - 77    |
|  |            |
| Easy Installation Rack Mount Kit         | Depth (cm) |
| <a href="#">2X-012G</a> (Long/Optional)  | 68 - 105   |
| <a href="#">2X-011G</a> (Short/Optional) | 57 - 70    |

[More information about "Easy Rack Mounting"...](#)

## Diagram



### ATEN International Co., Ltd.

3F, No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
 www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
 ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
 All rights reserved. All other trademarks are the property of their  
 respective owners.