# VC985

DisplayPort to HDMI Adapter







## Plug-n-Play

No installation software or drivers required. The VC985 is the perfect solution for connecting DisplayPort inputs to HDMI output displays.

#### Supports 1080p

Supports resolutions up to 1080p, making it highly compatible across devices.




# Contact Us

Get a quote for this product or get in touch with our sales experts

Get Quote

Contact Sales



### **Superior Signal Quality**

The internal copper foil shielding protection ensures signal integrity and minimizes external interference, giving you extra reliable and superior quality signals.

raik to Our Experts				
If you prefer to have ATEN conta	act you, please complete the form and a representative will be in touch with you shortly			





#### **Features**

The VC985 is a DisplayPort to HDMI adapter, allowing you to connect your device's DisplayPort output to the HDMI input of a TV or other display.

The VC985 provide a cost-effective yet high performance signal conversion solution. This adapter is therefore perfect for computers and notebooks, supporting display resolutions of up to 1080p (1920x1080@60Hz).

- Converts DisplayPort signals to HDMI output
- DisplayPort 1.2 a compliant
- Supports VGA, SVGA, XGA, SXGA, UXGA and resolutions up to 1080p (HDTV)
- Audio Supported
- No software or driver installation required

#### Specification

Specification		
Video Input		
Interfaces	1 x DisplayPort Male (White)	
Video Output		
Interfaces	1 x HDMI Type A female (Black)	
Video		
Max. Pixel Clock	165MHz	
Max. Resolution	1920 x 1080@60HZ	
Compliance	DP1.2, HDMI 1.3	
Audio		
Output	1 x HDMI Type A Female (Black)	
Environmental		
Operating Temperature	0 - 50 °C	
Storage Temperature	-20–60 °C	
Humidity	0 - 80% RH, Non-Condensing	
Physical Properties		
Housing	Plastic	
Weight	0.04 kg ( 0.09 lb )	
Dimensions (L x W x H)	18.00 x 4.50 x 1.50 cm (7.09 x 1.77 x 0.59 in.)	
Carton Lot	40 pcs	
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.	

## Diagram

