

UC232A

USB to RS-232 Adapter (35cm)



The UC232A USB-to-RS232 serial port converter is the ideal accessory for laptop and desktop computers that do not have a COM or DB9 serial port. Supporting both PC and Mac systems with baud rates up to 921.6 Kbps for rapid performance, it offers a convenient connectivity solution for industrial automation systems, scientific instruments, point of sale systems, and other specialized industrial and consumer applications.

The UC232A now supports mobile devices as a computing host (Android 3.2 and above). The UC232A SDK is available for download in the [Support and Downloads](#) section. To download the mobile demo app from the Google Play store, please click on or scan this QRCode.



NEW !

[UC2322/UC2324 2/4-Port USB-to-Serial Hub available now!](#)

NOTICE

[If you are updating a Windows operating system to 8 or later, please refer to the UC232A FAQ to ensure compatibility.](#)



Features


- Support the RS232 Serial interface.
- Full compliance with the USB Specification.
- Up to 921.6 Kbps data transfer rate.
- Works with cellular phones, PDAs, digital cameras, modems or ISDN terminal adapter.
- OS Compatibility: Windows, Mac, Linux.

Specification

USB-to-Serial Converter

Connectors	
USB Port	1 x USB Type A Male (White)
Serial	1 x DB-9 Male (Silver)
Data Rate	Up to 921.6 KBps
Cable Length	35cm
LEDs	Power (Orange)
Power Mode	Bus Powered
USB Specification	USB compliant
Environmental	
Operating Temperature	0–40°C
Storage Temperature	-20–60°C
Humidity	0–80% RH, Non-condensing
Physical Properties	
Housing	Plastic
Weight	0.04 kg (0.09 lb)
Dimensions (L x W x H)	6.59 x 3.40 x 1.60 cm (2.59 x 1.34 x 0.63 in.)
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram



ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their respective owners.