

2L-7D04DP

4.6 m DisplayPort rev.1.2 Cable



The ATEN DisplayPort rev.1.2 Cable provides high-definition connectivity and advanced auxiliary channeling. Our DisplayPort cables support long distance connections by safeguarding transmission quality and image clarity. We offer DisplayPort cables at lengths of 3 and 4.6 meters supporting resolutions up to [4K UHD](#) (3840 x 2160 @ 60Hz).



Features

- Crystal-clear video up to [4K UHD](#) (3840 x 2160 @ 60Hz)
- Multi-Stream Transport ([MST](#)) support
- Supports bandwidth up to 21.6 Gbps
- Supports dual monitors in mirror and extended mode
- Multiple strands of tinned copper wire to enhance EMI protection
- RoHS compliant

Specifications

Max. Video Resolution	3840x2160@60Hz
Physical Properties	
Cable Length	4.6M
Cable Color	Black
Cable Outer Dimension	8.0 ± 0.2mm
Conductor Gauge	26AWG
Conductor Material	Tinned Copper
Connector Plating	Nickel
Connector Type	DisplayPort (20 pin) Male to Male
Cable Shield Type	Aluminum Magnesium Alloy
Cable Jacket Type	PVC
Environmental	
Operating Temperature	80°C
Rating	UL VW-1 (Flame rate), CSA

ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
 www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
 ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
 All rights reserved. All other trademarks are the property of their respective owners.