

**US5324**

2 x 4 USB 3.2 Gen1 Sharing Switch (Host Type: A+C)



essentials

## 2 X 4 USB 3.2 Gen 1 Sharing Switch (Host Type: A+C)



US5324

SuperSpeed

# 5 Gbps

Data Transfer

## Computer



USB-C x1



USB-A x1

## Peripheral



USB-A x3



USB-C x1



## Bus-Powered Design

USB-C Input for Optional Power Boost

## Multiplatform Support

Windows | macOS | Linux

Accent Lig

## One-Button Switch



Pushbutton



Remote Port Selector



Four Peripherals, Instantly In Command

essentials

2 X 4 USB 3.2 Gen 1 Sharing Switch (Host Type: A+C) **US5324**

All references to and depictions of compatible products, including those produced by Apple, or Elgato, are for compatibility demonstration purposes only and not intended to suggest any endorsement or sponsorship by, or affiliation with those product manufacturers.

The ATEN 2x4 USB 3.2 Gen 1 Sharing Switch is the perfect solution for gamers who want to instantly switch between four different peripherals. With its sleek and compact design, it's easy to fit into any setup. The switch is compatible with both USB-A and USB-C hosts, making it a versatile choice for a variety of devices. Whether you're a professional gamer or just someone who enjoys playing video games, this sharing switch is a must-have for anyone who wants to make the most of their peripherals.



Sleek.

Compact.

Portable.





Share All Devices with One-Button Switch

Flexible Bus-Powered Design

The switch automatically powers on when connected to a computer. For setups involving power-intensive peripherals, an auxiliary USB-C port is available to connect a power adapter, guaranteeing stable performance and reliability.



Save Time with 5 Gbps  
SuperSpeed Data Transfer







## What's in the Box



[Talk to Our Experts](#)

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly

First Name \*

Last Name \*

- Country \*

Company \*

Email \*


Phone Number

- Customer Type \*

Job Title \*



Accent Light



Compact Design



USB 3.2 Gen 1



One Button Switch



Remote Port Selector



**Features**

- InstaSync™ Technology
  - Fast USB switching capability that keeps the flow smooth and uninterrupted
- Four USB Device Sharing Across One USB Type-A and One USB-C Computers
  - Farewell to the need of swapping cables and peripherals between two separate computers
- 5 Gbps Data Transfer with USB 3.2 Gen 1
  - Up to 5 Gbps SuperSpeed data transfer rates, which is about 10 times faster than the USB 2.0 standard, allow users to transfer large files quickly and efficiently
- Quick Switch via Built-In Pushbutton and Remote Port Selector
  - Enjoy the hassle-free experience of switching USB peripherals between two systems with just one single press to the button on [US4324](#) or the remote port selector (package included)
- Compact Enclosure with Accent Lighting
  - Aesthetically pleasing with its accent lighting and a casing so compact that it occupies very little space
- Hot Pluggable
  - Allows adding / removal of the peripherals/computers connected to the installation without having to power down the switch. Besides, no drivers or software is required
- OS Independent
  - Compatible with mainstream operating systems including Windows, macOS, and Linux

**Specifications**

Computer Connections	2
Port Selection	Pushbutton / Remote Port Selector
<b>Connectors</b>	
Computer	2 x USB Type-C Female (Black)
Device	3 x USB Type-A Female (Blue) 1 x USB Type-C Female (Black)
Power (Optional)	1 x USB Type-C Female (Black)
Remote Port Selector	1 x USB Type-C Female (Black)
<b>Cable Length</b>	
USB Cable	1 x USB 3.2 Gen 1 Type-C to Type-A Cable (1.5 m) 1 x USB 3.2 Gen 1 Type-C to Type-C Cable (1.5 m)
<b>LEDs</b>	
Selected	2 (Orange)
Power	2 (Orange, Bottom Side)
<b>Environmental</b>	
Operating Temperature	0 – 40 °C
Storage Temperature	-20 – 60 °C
Humidity	10 – 80 % RH, Non-condensing
<b>Physical Properties</b>	
Housing	Plastic
Weight	0.07 kg ( 0.17 lb )
Dimensions (L x W x H)	14.50 x 5.65 x 1.52 cm (5.71 x 2.22 x 0.6 in.)
Carton Lot	20 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram





Simply Better Connections

**ATEN International Co., Ltd.**

3F, No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© 2009 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.