

---

## VC925

DisplayPort to VGA Adapter



## DisplayPort to VGA Adapter



DisplayPort Input  
DisplayPort 1.2a compliant

VGA Output

**Plug-n-Play**

No installation software or drivers required. The VC925 is the perfect solution for connecting DisplayPort inputs to VGA output displays.

**Superior Video Resolution**

Supports VGA, SVGA, XGA, SXGA, UXGA, and resolutions up to 1920 x 1200 and 1080p, making it highly compatible across devices.




## Contact Us

Get a quote for this product or get in touch with our sales experts

[Get Quote](#)

---

[Contact Sales](#)



#### Superior Signal Quality

The internal copper foil shielding protection ensures signal integrity and minimizes external interference, giving you extra reliable and superior quality signals.

[Talk to Our Experts](#)

---

## Talk to Our Experts

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly



---

## Features

The VC925 is a DisplayPort to VGA adapter, allowing you to connect your device's DisplayPort output to the VGA input of a TV or other display.

The VC925 provide a cost-effective yet high performance signal conversion solution. This adapter is therefore perfect for computers and notebooks, supporting display resolutions of up to WUXGA (1920x1200@60Hz).

- Converts DisplayPort signals to VGA output
- DisplayPort 1.2 compliant
- Supports VGA, SVGA, XGA, SXGA, UXGA and resolutions up to 1920x1200 (PC) / 1080p ([HDTV](#))
- No software or driver installation required

## Specifications

Video Input	
Interfaces	1 x DisplayPort Male (White)
Video Output	
Interfaces	1 x HDB-15 Female (Blue)
Video	
Max. Pixel Clock	165 MHz
Max. Resolution	Input up to 4096 x 2160@60Hz (4:4:4) Output up to 1920 x 1200
Compliance	DP1.2
Environmental	
Operating Temperature	0 - 50 °C
Storage Temperature	-20 - 60 °C
Humidity	0 - 80% RH, Non-Condensing
Physical Properties	
Housing	Plastic
Weight	0.04 kg ( 0.1 lb )
Dimensions (L x W x H)	18.00 x 4.50 x 1.50 cm (7.09 x 1.77 x 0.59 in.)
Carton Lot	40 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram

