

## VS194

4-Port 4K DisplayPort Splitter



The VS194 4-Port 4K DisplayPort Splitter is the perfect solution for anyone who needs to send one source of DisplayPort high definition video to two or four DisplayPort displays. The VS194 can not only split but also expand DisplayPort audio/video signal on two or four DisplayPort monitors which is ideal for any multi-display application.

The VS194 is compatible with [DisplayPort 1.2a](#) and can support up to 4K resolution at 60 Hz, making it effective and ideal for use with all DisplayPort displays in [home theater](#) applications, as well as in corporate, educational and commercial settings.



### Features

- Connects one DisplayPort source to two or four DisplayPort monitors
- Supports [DisplayPort 1.2a](#); [HDCP 1.3](#)
- Supports resolutions up to 4096 x 2160 / 3840 x 2160 @ 60 Hz
- Supports [MST](#)/ Extend Mode and [SST](#)/ Split Mode\*
- **MST/ Extend Mode:**  
Extend a video source across 2/4 displays with a maximum resolution of 4K.
- **SST/ Split Mode:**  
Duplicate a single video source to 2/4 displays with a maximum resolution of 4K on each monitor
- Supports Linkrate: HBR2 (High Bit Rate 2)


**Note:**

\* The [VS192](#)/[VS194](#) will bypass [EDID](#) Mode during [SST](#) Mode and will detect the resolution of the monitor connected to port 1.

## Specifications

Video Output	
Interfaces	4 x DisplayPort Female (Black)
Video Input	
Interfaces	1 x DisplayPort Female (Black)
Video	
Compliance	DP 1.2a; HDCP 1.3
Max. Resolution	Up to 4096 x 2160 / 3840 x 2160 @ 60Hz
Max. Data Rate	21.6 Gbps (5.4 Gbps per lane)
Connectors	
Power	1 x DC Jack
Power Consumption	DC5V:3.36W:44BTU
Environmental	
Operating Temperature	0-40 °C
Storage Temperature	-20 - 60 °C
Humidity	0 - 80% RH, Non-Condensing
Physical Properties	
Housing	Metal
Weight	0.33 kg ( 0.73 lb )
Dimensions (L x W x H)	12.50 x 8.00 x 2.50 cm (4.92 x 3.15 x 0.98 in.)
Carton Lot	20 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram



**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
 www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
 ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
 All rights reserved. All other trademarks are the property of their respective owners.