

CS128A

Switch KVM PS/2 VGA 8-porte



CS128A is a KVM Switch with 8 built-in ports. It can control 8 computers via the console. Moreover, it allows connections of up to 512 servers in 3 tiers by cascade for central control.

Caratteristiche

- Microsoft Intellimouse, Logitech Firstmouse, MouseMan+...support PS/2 mice and MS mouse emulation.
- Easy PC selection via hotkeys, front panel push buttons and footswitch.
- Auto scan mode for monitoring PCs.
- Cascadable to three levels.
- One PS/2 style keyboard controls all PCs.
- Multiplatform support: DOS, Windows 2003/2000//XP/98/ME/NT and Linux.
- For more information about KVMs which can connect to CS128A, see [Compatible KVM Table](#).

Specifiche

Collegamenti del computer	
Diretto	8
Massimo	512
Seleziona porta	Pulsante, Tasto di scelta rapida
Connettori	
Porte console	1 x Mini-DIN 6 pin femmina (viola) 1 x Mini-DIN 6 pin femmina (verde) 1 x HDB-15 femmina (blu)
Computer	8 x DB-25 femmina (nero)
LED	
Online	8
Selezionato	8
Emulazione	
Tastiera	PS/2; PC/AT
Mouse	PS/2; Seriale
Risoluzione video	1920 x 1440 (massimo); DDC2AB
Intervallo di scansione	3, 5, 10, 15, 20, 30, 40, 60 secondi
Consumo	9 V CC, 1,08 W
Proprietà fisiche	
Struttura	Plastica / Metallo
Peso	2.85 kg
Dimensioni (L x P x A)	36.6 x 25 x 4.5 cm
Nota	Per alcuni prodotti per il montaggio su rack, le dimensioni fisiche standard LxPxA sono indicate utilizzando il formato LxLxA.

Diagramma topologia



ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
 www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
 ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
 All rights reserved. All other trademarks are the property of their
 respective owners.