

CS12

Master View - PS/2 KVM Switch



CS12 is a KVM Switch with built-in PS/2. It can control 2 servers via a single console and allows users to switch between computers via the buttons on the upper side of the switch or the hotkey configuration on the console keyboard. It is the simplest and most convenient solution for multi-computer management.


특장점

- Supports Microsoft IntelliMouse, Logitech MouseMan, FirstMouse, IBM Scrollpoint Mouse.
- Keyboard and mouse emulation for error free PC booting.
- Caps Lock, Num Lock, and Scroll Lock States are saved and restored when switching.
- Supports 1920 x 1440 resolution.
- Easy to Install - No software required
- Easy to Operate - PC selection via push button switch or hot keys - Auto scan function to monitor PC operation.
- LED display for easy status monitoring.
- Non-powered.
- Supports DDC2B (Display Data Channel).
- OS Compatibility: DOS, WIN 98/WIN ME/WIN NT/WIN 2K/WIN XP/WIN 2003,LINUX. Mac 8.6/9/10 and SUN Solaris 8/9 (with optional adapter).

사양

포트 선택	Pushbutton Switch / Hot Keys
커넥터	
콘솔 포트	1 x Mini Din-6 Female (Purple) 1 x Mini Din-6 Female (Green) 1x HDB-15 Female (Blue)
컴퓨터	2 x Mini Din-6 Female (Purple) 2 x Mini Din-6 Female (Green) 2 x HDB-15 Male (Blue)
LED	
선택	2
에뮬레이션	
키보드	PS/2
마우스	PS/2
비디오 해상도	1920 x 1440 (Max.); DDC2B
소비 전력	DC 9V 80mA (Max.) 노트: ● 와트 단위의 측정은 외부 부하가 없는 장치의 일반적인 전력 소비를 나타냅니다. ● BTU/h 단위의 측정값은 장치가 완전히 로드되었을 때 장치의 전력 소비를 나타냅니다.
스캔 간격	5 sec.
재질	Plastic
제품 외관	
무게	0.14 kg
크기 (L X W X H)	10.55x9.60x2.80cm
노트	일부 랙 마운트 제품은, WxDxH의 표준 물리적 치수를 LxWxH 형식으로 사용하고 있습니다.

다이어그램

**에이텐 코리아 ATEN KOREA**

서울시 금천구 디지털로9길 32(가산동) 갑을그레이트밸리 B동 303호
Tel: 02-467-6789 Fax: 02-467-9876
www.aten.com/kr/ko E-mail: marketing@aten.co.kr



© Copyright 2025 ATEN® International Co., Ltd.
ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their respective owners.