

## **AS8144B**

Bitronics Auto Switch




O AS8144B funciona de forma semelhante ao AF-142. Ele permite que usuários de 4 PCs examinem a necessidade da tarefa de impressão e transfira os dados da impressora. O AS8144B também suporta 2 modos de operação (1 PC para vários dispositivos seriais e oferece função broadcasting).

## Caraterísticas

- Compatível com Bi-tronics e Centronics.
- Operação reversível: 1 entrada para 2 saídas ou 2 entradas para 1 saída.
- Suporta IEEE-1284 nibble mode.
- Gerenciamento da tarefa de impressão, é a primeira a entrar e a primeira a entregar.
- Suporta broadcast mode.
- Seleção de portas por botão e por software.
  Opera sem energia.
- Compatível com HP Laser Jet, Canon, Epson e NEC.
- Compatibilidade com sistemas operacionais: WIN98, WIN ME, WIN 2K e WIN XP.



## Diagrama



## ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767 www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their respective owners.