

UCE3250

4 埠 USB 2.0 CAT 5 延長器 (50公尺)



UCE3250 是一款4 埠USB 2.0 Cat 5 延長器，由近端與遠端所組成。透過乙太網路線可將USB 訊號延伸至50公尺，遠端最多可連接4 個USB 週邊設備。

UCE3250 將訊號以信號封包的方式傳遞，讓訊號可以承受較長距離的傳遞而不衰減，保持訊號完整性且具較佳相容性。UCE3250 遠端附有專用變壓器，有助於為任何類型的USB 設備提供穩定的電力，如隨身碟、鍵盤、滑鼠、網路攝影機、掃描機或印表機等。

這款高品質的USB 延長器採用堅固的金屬外殼，在工業應用上提供了一種快速靈活的解決方案。此外，UCE3250 精簡的尺寸以及壁掛式設計可節省安裝空間。


功能

- 支援高速USB 2.0 之最高資料傳輸速率達480 Mbps
- 透過乙太網路線可將USB 裝置訊號延長至50 公尺
- 最多可連接4項USB 週邊設備- 隨身碟、鍵盤、滑鼠、網路攝影機、掃描機或印表機等
- 帶壁掛式設計的金屬外殼，在工業應用上提供快速靈活的解決方案
- 相容於所有主要作業系統: Windows®, OS X®, and Linux®
- 隨插即用

規格

Function	UCE3250L	UCE3250R
連接介面		
USB連接埠	1 x USB Type B 母頭	4 x USB Type A 母頭
連線	1 x RJ45 母頭	1 x RJ45 母頭
電源	N/A	1 x DC 電源插孔
USB 規格	2.0 / 1.1 高速 / 全速 / 低速	2.0 / 1.1 高速 / 全速 / 低速
支援的 USB 裝置	N/A	4 項USB 設備
電源模式	主機供電	自供電 DC 5V, 13W
作業環境		
操作溫度	0–50°C	0–50°C
儲存溫度	-20–70°C	-20–70°C
溼度	0–80% RH, 無凝結	0–80% RH, 無凝結
機體屬性		
重量 g (公克), kg (公斤), lb(英磅)	0.09 kg (0.2 lb)	0.16 kg (0.35 lb)
外殼材質	金屬	金屬
尺寸 - 長 x 寬 x 高 cm (公分), in. (英吋)	6.70 x 6.02 x 2.37 cm (2.64 x 2.37 x 0.93 in.)	6.33 x 11.04 x 2.41 cm (2.49 x 4.35 x 0.95 in.)
附註	對於部分上機架機種，規格表中尺寸 (長 x 寬 x 高) 亦代表 (寬 x 深 x 高)	

連線圖



Please refer to your USB video device's user manual or user guide for its compatibility and declaration.

ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their respective owners.