

UC1284B

USB to IEEE1284 Printer Adapter (1.8m)



UC1284B is a USB to parallel port converter. It converts the USB on PCs, notebook PCs and handheld computing devices into a parallel port for printer connection.



**Bus-
Powered**



**Easy
Installation**

Features

- Fully bidirectional to ensure compatibility with today's latest printer.
- 1 USB Type-A connector for standard USB cable connection
- 1 C-36 parallel connector
- Fully compliant with USB
- Non-powered.
- Max. Throughput: 1.2 Mbits/ Sec (ECP Mode)
- OS Support: Windows 2000, Windows XP, Windows Vista and Windows 7

Specifications

Connectors	
USB Port	1 x USB Type A Male (White)
Printer	1 x C-36 Male
Data Rate	1.2 Mbps/Sec
Cable Length	1.8m
LEDs	N/A
Power Mode	Bus Powered
USB Specification	USB compliant
Power Consumption	DC5V:0.1W:11BTU/h Note: <ul style="list-style-type: none"> ● The measurement in Watts indicates the typical power consumption of the device with no external loading. ● The measurement in BTU/h indicates the power consumption of the device when it is fully loaded.
Environmental	
Operating Temperature	0-40°C
Storage Temperature	-20–60°C
Humidity	0–80% RH, Non-condensing
Physical Properties	
Housing	Plastic
Weight	0.11 kg (0.24 lb)
Dimensions (L x W x H)	5.30 x 4.30 x 1.95 cm (2.09 x 1.69 x 0.77 in.)
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.