

UCE60

USB Cat 5 Extender (up to 60 m)



UCE60 lets you locate your USB device or hub up to 60m (198 ft) from you computer, overcoming the typical USB cable limitation. It conditions the USB signals to communicate up to 60m using low-cost Cat 5/Cat 5e/Cat 6 cable.



Features

- USB 2.0 full speed compliant.
- Provides support for any full-speed (12Mb/s) or low-speed (1.5Mb/s) USB devices.
 Extends the transmission distance of a USB device up to 60m (198 ft) using Cat 5/ Cat 5e/ Cat 6 cabling.
- Embedded USB Transceivers prevent signal loss.
- Lowest cost solution for extending USB signals. No additional installation software required.
- LED indicates when additional external power supply needed.
- Multiplatform support: Windows, Mac.




Specifications

Function	Local Unit	Remote Unit
Connectors		
USB Port	1 x USB Type A Male (White)	1 x USB Type A Female (White)
Link	1 x RJ-45 Female	1 x RJ-45 Female
Power	N/A	1 x DC Jack (Optional)
USB Specification	2.0 Full / Low Speed	2.0 Full / Low Speed
Environmental		
Operating Temperature	0-40°C	0-40°C
Storage Temperature	-40-85°C	-40-85°C
Humidity	0–80% RH, Non-condensing	0–80% RH, Non-condensing
Physical Properties		
Housing	Plastic	Plastic
Weight	0.03 kg (0.09 lb)	0.02 kg (0.05 lb)
Dimensions (L x W x H)	6.30 x 3.10 x 2.19 cm (2.48 x 1.22 x 0.86 in.)	6.30 x 3.10 x 2.19 cm (2.48 x 1.22 x 0.86 in.)
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.	



Diagram



ATEN International Co., Ltd.

3F, No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan Phone: 886-2-8692-6789 Fax: 886-2-8692-6767 www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their respective owners.