UE350A

5 m USB 3.2 Gen 1 Extender Cable

As USB 3.2 Gen 1 devices are getting popular, the demand for extending the distance covered by USB devices is growing notably. ATEN's UE350A USB 3.2 Gen 1 Extender Cable not only extends the distance for the USB devices up to 5 meters, but also delivers a throughput of up to 5 Gbps when used in conjunction with a USB 3.2 Gen 1 host and device – an astounding increase that is ten times the capability of USB 2.0.

In addition to its robust speed and transfer rate, the UE350A also provides a durable, high quality connection that harnesses the full capability of the USB 3.2 Gen 1 standard; at the same time, it is backwards compatible with USB 2.0 and 1.1 to ensure reliable data communication. With UE350A, extending the distance of your USB 3.2 Gen 1 device is quick and easy, making it an ideal addition to your USB system setups.

Note: Please visit ATEN Support Center to view the test report for the compatible webcams for more information.

Features

- Extends the distance of one USB device up to 5 m (16ft)
- USB 3.2 Gen 1, 2.0 and 1.1 compatible
- Built-in USB 3.2 Gen 1 Hub IC – fully supports hot swapping for a variety of USB 1.1/2.0/3.2 Gen 1 devices.
- Supports USB super-speed (5 Gbps)
- Plug and play – no additional software installation required
- Multiplatform support – Windows and Mac
- Non-powered *

    * Some USB devices may require a separate power adapter.

Specifications

Connectors	
USB Port	1 x USB Type A Male
Downstream	1 x USB Type A Female
USB Specification	USB 3.2 Gen 1 / 2.0 / 1.1 for Super / High / Full or Low speed
Cable Length	5 m
Data Rate	Up to 5 Gbps
Environmental	
Operating Temperature	0–40°C
Storage Temperature	-20–60°C
Humidity	0-80% RH, Non-condensing
Physical Properties	
Housing	Plastic
Weight	0.22 kg (0.48 lb)
Dimensions (L x W x H)	6.02 x 4.00 x 2.40 cm (2.37 x 1.57 x 0.94 in.)
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram

USB 3.0 Hub

*Power
(Optional)

UE350A

5m