

## VC920

Mini DisplayPort to VGA Adapter



## Mini DisplayPort to VGA Adapter

Mini DisplayPort Input  
DisplayPort 1.2a compliant

VGA Output

**Plug-n-Play**

No installation software or drivers required. The VC920 is the perfect solution for connecting Mini DisplayPort inputs to VGA output displays.

## Contact Us

Get a quote for this product or get in touch with our sales experts

[Get Quote](#)

[Contact Sales](#)**Superior Video Resolution**

Supports VGA, SVGA, XGA, SXGA, UXGA, and resolutions up to 1920 x 1200 and 1080p, making it highly compatible across devices.

**Talk to Our Experts**

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly

First Name \*

Last Name \*

- Country \*

Company \*

Email \*

Phone Number \*

- Customer Type \*

Job Title \*

**A/V Out****HDMI****Mini  
DisplayPort****Resolution****1920 x 1200, 1080P****Audio  
Enabled****Features**

The Mini DisplayPort to VGA Adapter allows you to connect a device with a Mini DisplayPort to a display with a VGA connector.

The adapter is perfect for Mac series products, including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro.

- Converts Mini DisplayPort signals to VGA output
- Supports VGA, SVGA, XGA, SXGA, UXGA and resolutions up to 1920x1200(PC) / 1080p(HDTV)
- Supports Mac Products including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro
- No software or driver installation needed
- DisplayPort 1.2 compliant

**Specification**

Video Input	
Interfaces	1 x Mini DisplayPort Male (White)
Video Output	
Interfaces	1 x HDB-15 Female (Blue)
Video	
Max. Pixel Clock	165 MHz
Max. Resolution	Input DP 1.2 up to 4096 x 2160@60Hz (4:4:4) Output up to 1920 x 1200
Environmental	
Operating Temperature	0 - 50 °C
Storage Temperature	-20 - 60 °C
Humidity	0 - 80% RH, Non-Condensing
Physical Properties	
Housing	Plastic
Weight	0.04 kg ( 0.09 lb )
Dimensions (L x W x H)	20.00 x 4.30 x 2.01 cm (7.87 x 1.69 x 0.79 in.)
Carton Lot	40 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

**Diagram****ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.