

CS1708iUKIT

8-Port Single User USB-PS/2 IP KVM w/ 8 USB Cable



This Sku combines following items

[CS1708i](#) 8-port 1 user IP USB/PS2 KVM Switch

[2L5201U](#) 4 ft. USB KVM Cable

[2L5202U](#) 6 ft. USB KVM Cable

[2L5203U](#) 10 ft. USB KVM Cable

Features

• **Hardware**

- 8-port remote access KVM switch - monitor and control up to 8 computers from a single KVM console
- Daisy chain up to 15 additional units - control up to 128 computers
- Auto-sensing of station's position on daisy chained installations; no need for manual dip switch setting; front panel LED indicates station's position
- Multiplatform support - Windows, Linux, Mac, and Sun
- Dual Interface - supports PS/2 or USB keyboard and mouse computers
- Video DynaSync™ - stores the console monitor's EDID (Extended Display Identification Data) to optimize display resolution
- Superior video quality - up to 2048 x 1536; DDC2B for the local console; up to 1600 x 1200 @ 60Hz / 24 bit color depth for remote sessions
- BIOS-level access
- Mouse DynaSync
- Rack mountable in a 19" system rack
-

Management

- **Panel array mode enables user to monitor multiple servers from single screen at the same time - each selected server's video output appears in a separate panel - users can easily select the number of panels to view**
- **Event Logging**
- **Up to 32 concurrent logins**
- **Broadcast mode; operations simultaneously performed on all selected computers (software installation, system-wide shutdown, etc.)**
- **Port names automatically reconfigured when station sequence is changed**
- **Message board allows logged in users to communicate with each other, and allows a user to take exclusive control of the KVM functions**
- **On-screen keyboard with multilanguage support**
-

Security

- Secure keyboard/mouse/video transmission via RC4 128bit encryption
- 128bit SSL browser access
- Two level password security - up to 64 user accounts with separate profiles for each
- External(remote) authentication support: RADIUS, LDAP, LDAPS, MS Active Directory
- Support for IP/Mac Filter
- Local and remote access logged and authenticated

