

VC920

Mini DisplayPort to VGA Adapter



Mini DisplayPort to VGA Adapter



Mini DisplayPort Input
DisplayPort 1.2a compliant

VGA Output



Plug-n-Play

No installation software or drivers required. The VC920 is the perfect solution for connecting Mini DisplayPort inputs to VGA output displays.

Contact Us

Get a quote for this product or get in touch with our sales experts


[Get Quote](#)

[Contact Sales](#)**Superior Video Resolution**

Supports VGA, SVGA, XGA, SXGA, UXGA, and resolutions up to 1920 x 1200 and 1080p, making it highly compatible across devices.

**Talk to Our Experts**

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly



Features


The Mini DisplayPort to VGA Adapter allows you to connect a device with a Mini DisplayPort to a display with a VGA connector.

The adapter is perfect for Mac series products, including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro.

- Converts Mini DisplayPort signals to VGA output
- Supports VGA, SVGA, XGA, SXGA, UXGA and resolutions up to 1920x1200(PC) / 1080p(HDTV)
- Supports Mac Products including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro
- No software or driver installation needed
- DisplayPort 1.2 compliant

Specification

| | |
|------------------------|---|
| Video Input | |
| Interfaces | 1 x Mini DisplayPort Male (White) |
| Video Output | |
| Interfaces | 1 x HDB-15 Female (Blue) |
| Video | |
| Max. Pixel Clock | 165 MHz |
| Max. Resolution | Input DP 1.2 up to 4096 x 2160@60Hz (4:4:4) Output up to 1920 x 1200 |
| Environmental | |
| Operating Temperature | 0 - 50 °C |
| Storage Temperature | -20 - 60 °C |
| Humidity | 0 - 80% RH, Non-Condensing |
| Physical Properties | |
| Housing | Plastic |
| Weight | 0.04 kg (0.09 lb) |
| Dimensions (L x W x H) | 20.00 x 4.30 x 2.01 cm (7.87 x 1.69 x 0.79 in.) |
| Carton Lot | 40 pcs |
| Note | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |

Diagram**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.