

## VB802

HDMI Cat 5 Repeater (1080p@40m)



The VB802 HDMI Over Cat 5e/6 Repeater is an HDMI signal extension device which is compatible with ATEN HDMI Over Cat 5e/6 Splitters or Extender. The VB802 extends the transmission range an extra 200 feet (60m) over two Cat 5e/6 cables. The use of an additional repeater means the HDMI signals can be transmitted over even longer distances.



### Features


- Uses two Cat 5e/6 cables to extend HDMI signal
- Long distance transmission – up to 200 feet (60 m)
- Provides the quickest and most efficient way to move multimedia content from Transmitter to Receiver
- Offers local HDMI output
- HDMI and HDCP compatible
- HDMI (3D)
- 8-level EQ adjustment to improve image quality
- Cascadable to five levels\*
- Superior video quality – HDTV resolutions of 480p, 720p, 1080i and 1080p (1920 x 1080)

\* Signal quality depends on cables. We recommend STP Cat 5e/6 cables or ATEN low skew cable (Part No. [2L-2801](#))

## Specification

Video Output	
Interfaces	1 x HDMI Type A Female (Black) 2 x RJ-45 Female
Impedance	100 $\Omega$
Video	
Max. Data Rate	6.75 Gbps (2.25 Gbps Per Lane)
Max. Bandwidth	225 MHz
Compliance	HDMI (3D, Deep Color) HDCP Compatible
Max. Resolutions / Distance	Up to 1080p@40m; 1080i@60m
Audio Outputs	
Interfaces	1 x HDMI Type A Female (Black)
Connectors	
Power	1 x DC Jack (Black)
Power Consumption	DC5V:12.28W:58BTU/h  Note: <ul style="list-style-type: none"> <li>● The measurement in Watts indicates the typical power consumption of the device with no external loading.</li> <li>● The measurement in BTU/h indicates the power consumption of the device when it is fully loaded.</li> </ul>
Environmental	
Operating Temperature	0 - 50°C
Storage Temperature	-20 - 60°C
Humidity	0 - 80% RH, Non-Condensing
Physical Properties	
Housing	Metal
Weight	0.25 kg ( 0.55 lb )
Dimensions (L x W x H)	12.30 x 9.04 x 2.26 cm (4.84 x 3.56 x 0.89 in.)
Carton Lot	20 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

## Diagram



### **ATEN International Co., Ltd.**

3F, No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
 www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
 ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
 All rights reserved. All other trademarks are the property of their  
 respective owners.