

VS291

2-Port VGA Switch



The VS291 is a video switch with 2 ports. It allows 2 independent computers to display their video outputs on a single monitor. Therefore, users will not need to buy monitors for each computer additionally.



Features

- Displays the video output of two computers on a single monitor or projector.
- Computer selection via pushbutton switch.
- Electronic switching for greater reliability and durability.
- Easy Installation - No Software Required.
- Long distance transmission - up to 30 feet (10m)
- High resolution video - up to 1920 x 1440.
- DDC, DDC2, DDC2B Compatible.
- Supports VGA, XGA, SVGA, UXGA and Multisync monitors.
- OS Support: Windows 2000, Windows XP, Linux, Mac and Sun

Specification

Video Input	
Interfaces	2 x HDB-15 Female (Blue)
Impedance	75 Ω
Max. Distance	1.8 m
Video Output	
Interfaces	1 x HDB-15 Female (Blue)
Impedance	75 Ω
Max. Distance	10 m
Video	
Max. Bandwidth	150 MHz
Max. Resolution	Up to 1920 x 1440
Max. Distance	Up to 10 m
Connectors	
Power	1 x DC Jack
Power Consumption	DC9V:0.82W:4BTU/h Note: <ul style="list-style-type: none"> ● The measurement in Watts indicates the typical power consumption of the device with no external loading. ● The measurement in BTU/h indicates the power consumption of the device when it is fully loaded.
Environmental	
Operating Temperature	0 - 50°C
Storage Temperature	-20 - 60°C
Humidity	0 - 80% RH, Non-Condensing
Physical Properties	
Housing	Plastic / Metal
Weight	0.15 kg (0.33 lb)
Dimensions (L x W x H)	12.00 x 6.52 x 4.40 cm (4.72 x 2.57 x 1.73 in.)
Carton Lot	20 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.