

## UC1284B

USB to IEEE1284 Printer Adapter (1.8m)



UC1284B is a USB to parallel port converter. It converts the USB on PCs, notebook PCs and handheld computing devices into a parallel port for printer connection.



**Bus-  
Powered**



**Easy  
Installation**

### Features

- Fully bidirectional to ensure compatibility with today's latest printers
- 1 USB Type-A connector for standard USB cable connection
- 1 C-36 parallel connector
- Fully compliant with USB
- Non-powered
- Max. Throughput: 1.2 Mbits/ Sec (ECP Mode)
- OS Support: Windows 2000, Windows XP, Windows Vista and Windows 7

## Specification

Connectors	
USB Port	1 x USB Type A Male (White)
Printer	1 x C-36 Male
Data Rate	1.2 Mbits/Sec
Cable Length	1.8m
LEDs	N/A
Power Mode	Bus Powered
USB Specification	USB compliant
Environmental	
Operating Temperature	0-40°C
Storage Temperature	-20-60°C
Humidity	0-80% RH, Non-condensing
Physical Properties	
Housing	Plastic
Weight	0.11 kg ( 0.24 lb )
Dimensions (L x W x H)	5.30 x 4.30 x 1.95 cm (2.09 x 1.69 x 0.77 in.)
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

**Diagram****ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.