

## 2L-7D03H

3 m High Speed True 4K HDMI Cable with Ethernet






Stunning 4K Clarity with HDR Enhancemen

Featuring True 4K visual clarity, the addition of HDR further delivers stunning video quality by enhancing brightness, contrast, and color range for more vibrant and vivid images.







## Captivating Cinematic Audio-Visual Mastery

- Up to 32 channels for an ultimate surround sound experience
   1536 kHz audio sample rate for realistic audio presentation
   Ultra-wide 21:9 aspect ratio for cinema-level video experience

## Dive In Like You're Living It!

Have all the fun in a more engaging game with sharp images, multi-perspective views, reduced motion blur and enhanced smoothness for a more immersive 3D gaming experience.



#### Exceptional 18 Gbps High Speed Transmission


The high speed HDMI cable transmits signals at speeds of up to 18 Gbps, providing crystal-clear True 4K visuals without any flashing or ghosting in the video.






**Broad Compatibility** 






Remarkable Engineering, Reliable Transmission






Industry-Proven Quality, Detail-Oriented Craftsmanship






## ATEN Optimum Cable Quality Assurance

- Expertly crafted, superior-quality HDMI cable
   Reliably stable performance in electromagnetic environments
   Robust product durability for frequent hot-plugging








In Office





In Store






At Home

Previous Next

Talk to Our Experts

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you short









ATEN High Speed HDMI Cable with Ethernet provides an uncompressed, all-digital interface for both audio and video signals. Our cables infuse high-quality copper wire to resist interference for improved image clarity. We offer HDMI cable at lengths of 1 to 5 meters with resolutions up to True 4K (4096 x 2160 @ 60 Hz;3840 x 2160 @ 60 Hz 4:4:4).


- Superior video quality True 4K (4096 x 2160 / 3840 x 2160 @ 60 Hz 4:4:4)
  HDMI Ethernet Channel functionality: additional dedicated data channel supports networking\*
  HDMI (3D, Deep Color, 4K); HDCP 2.2 compliant
  Supports HDR
  Gold-plated connectors for reliable transmissions
  Available in lengths from 1 to 5 m
  RoHS compliant
  Bend Radius 90°\*\*
  Note:
  Feature only available if linked devices are HDMI Ethernet Channel enabled
  \*\* Swings 100 times between angles of +/- 90 degrees, at a frequency of 13 times per minute

#### Specifications

| Max. Video Resolution | 4096x2160@60Hz            |
|-----------------------|---------------------------|
| Physical Properties   |                           |
| Cable Length          | 3М                        |
| Cable Color           | Black                     |
| Cable Outer Dimension | 6.0 ± 0.20mm              |
| Conductor Gauge       | 30AWG                     |
| Conductor Material    | Tinned Copper             |
| Connector Plating     | Gold                      |
| Connector Type        | HDMI (19pin) Male to Male |
| Cable Shield Type     | Aluminum Foil             |
| Cable Jacket Type     | PVC                       |
| Environmental         |                           |
| Operating Temperature | 80°C                      |
| Rating                | UL VW-1 (Flame rate), CSA |



# Diagram



ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com

