

## VC980

Mini DisplayPort to HDMI Adapter



# Mini DisplayPort to HDMI Adapter



Mini DisplayPort Input  
DisplayPort 1.2a compliant

HDMI Output



#### Plug-n-Play

No installation software or drivers required. The VC980 is the perfect solution for connecting Mini DisplayPort inputs to HDMI output displays.

#### Plug-n-Play

## Contact Us

Get a quote for this product or get in touch with our sales experts

[Get Quote](#)


[Contact Sales](#)**Superior Video Resolution**

Supports HDMI up to 1920 x 1200 and 1080p, making it highly compatible across devices.



## Talk to Our Experts

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly



### Features

The Mini DisplayPort to HDMI Adapter allows you to connect a device with a Mini DisplayPort to a display with an HDMI connector.

The adapter is perfect for Mac series products, including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro.

- Converts Mini DisplayPort signals to HDMI output
- Supports VGA, SVGA, XGA, SXGA, UXGA and resolutions up to 1920x1200(PC) / 1080p(HDTV)
- Supports Mac Products including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro
- Supports Dolby True HD and DTS HD Master Audio
- No software or driver installation needed
- Audio enabled
- DisplayPort 1.2a compliant

## Specifications

|                        |                                                                                                                                 |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Video Input            |                                                                                                                                 |
| Interfaces             | 1 x Mini DisplayPort Male (White)                                                                                               |
| Video Output           |                                                                                                                                 |
| Interfaces             | 1 x HDMI Type A Female (Black)                                                                                                  |
| Video                  |                                                                                                                                 |
| Max. Pixel Clock       | 165 MHz                                                                                                                         |
| Max. Resolution        | Up to 1920 x 1200                                                                                                               |
| Audio                  |                                                                                                                                 |
| Output                 | 1 x HDMI Type A Female (Black)                                                                                                  |
| Environmental          |                                                                                                                                 |
| Operating Temperature  | 0 - 50 °C                                                                                                                       |
| Storage Temperature    | -20–60 °C                                                                                                                       |
| Humidity               | 0 - 80% RH, Non-Condensing                                                                                                      |
| Physical Properties    |                                                                                                                                 |
| Housing                | Plastic                                                                                                                         |
| Weight                 | 0.03 kg ( 0.07 lb )                                                                                                             |
| Dimensions (L x W x H) | 19.00 x 2.10 x 1.11 cm<br>(7.48 x 0.83 x 0.44 in.)                                                                              |
| Carton Lot             | 40 pcs                                                                                                                          |
| Note                   | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |

**Diagram****ATEN International Co., Ltd.**

3F, No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.