Simply Better Connections

US5324

2 x 4 USB 3.2 Gen1 Sharing Switch (Host Type: A+C)

essentials

2 X 4 USB 3.2 Gen 1 Sharing Switch (Host Type: A+C)

US5324

SuperSpeed

5 Gbps

Data Transfer

Computer
USB-C x1
USB-A x1
Peripheral
USB-A x3
USB-C x1
Bus-Powered Design
USB-C Input for Optional Power Boost
Multiplatform Support
Windows | macOS | Linux
Accent Lig
One-Button Switch
5 Gbps
5 Gbps
5 Gbps
5 Gbps
Pushbutton
Remote Port Selector

Four Peripherals, Instantly In Command
essentials
2 X 4 USB 3.2 Gen 1 Sharing Switch (Host Type: A+C)
US5324
All references to and depictions of compatible products, including those produced by Apple, or Elgato, are for compatibility demonstration purposes only and not intended to suggest any endorsement or sponsorship by or affiliation with those product manufacturers.

×

Sleek.
Compact.
Portable.
ATEN
5 Gbps
5 Gbps
5 Gbps
5 Gbps

Simply Better Connections

Accent Light

Stay in Sync with a Stylish Glow

Share All Devices with One-Button Switch

Flexible Bus-Powered Design

The switch automatically powers on when connected to a computer. For setups involving power-intensive peripherals, an auxiliary USB-C port is available to connect a power adapter, guaranteeing stable performance and reliability.

Simply Better Connections

Save Time with 5 Gbps SuperSpeed Data Transfer

Simply Better Connections


Work Calendar
Events
Reminders
Month
Week
Day
Search
Settings
Events

Simply Better Connections

What's in the Box

Talk to Our Experts

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly

First Name *

Last Name *

- Country *

Company *

Email *

Phone Number *

- Customer Type *

Job Title *

Simply Better Connections

Features

- InstaSync ™ Technology
  - Fast USB switching capability that keeps the flow smooth and uninterrupted
- Four USB Device Sharing Across One USB Type-A and One USB-C Computers
  - Farewell to the need of swapping cables and peripherals between two separate computers
- 5 Gbps Data Transfer with USB 3.2 Gen 1
  - Up to 5 Gbps SuperSpeed data transfer rates, which is about 10 times faster than the USB 2.0 standard, allow users to transfer large files quickly and efficiently
- Quick Switch via Built-In Pushbutton and Remote Port Selector
  - Enjoy the hassle-free experience of switching USB peripherals between two systems with just one single press to the button on US5324 or the remote port selector (package included)
- Compact Enclosure with Accent Lighting
  - Aesthetically pleasing with its accent lighting and a casing so compact that it occupies very little space
- Hot Pluggable
  - Allows adding / removal of the peripherals/computers connected to the installation without having to power down the switch. Besides, no drivers or software is required
- OS Independent
  - Compatible with mainstream operating systems including Windows, macOS, and Linux

Specifications

Computer Connections	2
Port Selection	Pushbutton / Remote Port Selector
Connectors	
Computer	2 x USB Type-C Female (Black)
Device	3 x USB Type-A Female (Blue) 1 x USB Type-C Female (Black)
Power (Optional)	1 x USB Type-C Female (Black)
Remote Port Selector	1 x USB Type-C Female (Black)
Cable Length	
USB Cable	1 x USB 3.2 Gen 1 Type-C to Type-A Cable (1.5 m) 1 x USB 3.2 Gen 1 Type-C to Type-C Cable (1.5 m)
LEDs	
Selected	2 (Orange)
Power	2 (Orange, Bottom Side)
Environmental	
Operating Temperature	0 – 40 °C
Storage Temperature	-20 – 60 °C
Humidity	10 – 80 % RH, Non-condensing
Physical Properties	
Housing	Plastic
Weight	0.07 kg (0.17 lb)
Dimensions (L x W x H)	14.50 x 5.65 x 1.52 cm (5.71 x 2.22 x 0.6 in.)
Carton Lot	20 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram


Power
Adapte
USB-C
US5324
Rear View
US5324
Front View
USB-C
Camera

Simply Better Connections

ATEN International Co., Ltd.
3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com

© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their respective owners.