

KA7120

PS/2 VGA KVM Adapter with Composite Video Support



The KA7120 PS/2 KVM Adapter Cable connects the KVM switch to the video and PS/2 mouse and keyboard ports of the target computer. With its small form factor and light weight design, it represents the next generation of PS/2 KVM Adapter Cables - offering superior signal compensation and delay skew techniques for greatly enhanced video quality.

Note: The video quality of KA7120 has been enhanced to Full HD. To distinguish between the FHD and non-FHD versions, please refer to below link: FHD & Non-FHD Comparison

Features

- Connects any Cat 5e KVM switch to a target computer
- Keyboard and mouse emulation keeps your server functioning smoothly when it is disconnected from the switch's KVM port or relocated to different KVM port
- · Lifetime firmware upgrades
- Superior video quality supports resolution up to 1920 x 1200 (Reduced blanking)*
- · Built in ASIC for greater reliability and compatibility
- · Compact size
 - * This maximum resolution may vary depending on the transmission distance. For more details, please refer to the product pages of the connected KVM switches.




Specification

| Connectors | |
|--------------------------|---|
| Link | 1 x RJ-45 Female |
| Computer | 2 x 6-pin Mini-DIN Male 1 x HDB-15 Male |
| LEDs | |
| Online | 1 (Green) |
| Power | 1 (Orange) |
| Environmental | |
| Operating Temperature | 0-50°C |
| Storage Temperature | -20-60°C |
| Physical Properties | |
| Housing | Plastic |
| Weight | 0.15 kg (0.33 lb) |
| Dimensions (L x W x H) | 9.00 x 4.30 x 2.18 cm (3.54 x 1.69 x 0.86 in.) |
| Note | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |



Diagram



ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767 www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their respective owners.